STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15G789	A. BUILDING _____ B. WING _____	C 01/13/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
BONA VISTA PROGRAMS INC	**3770 W 80 N KOKOMO, IN 46901**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
W 000	INITIAL COMMENTS This visit was for the investigation of complaint #IN000101504. This survey was done in conjunction with the post certification revisit to the annual recertification and state licensure survey completed on November 10, 2011. COMPLAINT #IN000101504: Unsubstantiated due to lack of sufficient evidence. Dates of Survey: January 11, 12 and 13, 2012 Facility number: 012485 Provider number: 15G789 AIM number: 201012970 Surveyor: Tracy Brumbaugh, Medical Surveyor III Bona Vista Programs Inc. was found to be in compliance with 42 CFR, Part 483, Subpart I, and 460 IAC 9 in regard to the investigation for complaint #IN00101504.	W 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.